



Karndean
Designflooring



Preston Town Houses

"The most important element is to ensure the occupant feels at ease in the space so that liveability is always achieved."

“I believe that the most important element when stepping into a space, is ensuring the occupant feels at ease in the space so that liveability is always achieved, and I feel that Korlok by Karndean Designflooring delivers on this.”

“The first thing that attracted me to Karndean Designflooring was the features and benefits of Korlok, being waterproof is particularly appealing to my clients. Korlok’s click lock system allowed for a quick turnaround on installation and its waterproof properties had practical benefits for the home over laminate. What’s more, the pre-acoustic backing meant that it complied with apartment building standards.”

“The team at Karndean have been fantastic and I wish all people were as pleasant to deal with.”

Arthur Korf, rRent Property Management Specialists

[View examples of previous case studies here](#)

Client:

Preston Town Houses

Interior Designer:

rRent Property Management

Location:

Melbourne, VIC

Contractor:

Varcon Builders



Product:

Canadian Urban Oak
RKP8116

Korlok

Area:

300m²

Products Specified

Product: Canadian Urban Oak **RKP8116**

Korlok Technical Information

Thickness: 6.5mm

Wear Layer: 0.50mm

Bevel: Thread

Warranty:

Residential: Lifetime*

Commercial: 15 years

Slip Resistance/Result:

AS4586:2013 Appendix D - R10



[View the full technical data sheet](#)

*Transferable Purchase Warranty. Subject to terms and conditions.



Canadian Urban Oak **RKP8116**

Get the look

Create the same look as Preston Town Houses for your next project.
We have a variety of products to match, within our ranges.



Honey Oak
VGW94T

Thickness: 3mm
Wear Layer: 0.5mm
Bevel: No
Size: 1219.2mm x 177.8mm
Guarantee: 15 Years
Slip Resistance/Result:
AS/NZS 4586:2013 - R10



Niveus
WP411

Thickness: 2.5mm
Wear Layer: 0.5mm
Bevel: No
Size: 1219.2mm x 228.6mm
Guarantee: 15 Years
Slip Resistance/Result:
AS/NZS 4586:2013 - R10



Waterbury
LLP152

Thickness: 4.5mm
Wear Layer: 0.5mm
Bevel: No
Size: 1050mm x 250mm
Guarantee: 15 Years
Slip Resistance/Result:
AS/NZS 4586:2013 - R10



French Grey Oak
LLP308

Thickness: 4.5mm
Wear Layer: 0.5mm
Bevel: No
Size: 1500mm x 250mm
Guarantee: 15 Years
Slip Resistance/Result:
AS/NZS 4586:2013 - R10





■ LLP308 ▽




■ VGW921-ZLLST ▽



Lays over most existing subfloors

■ KP8104 ▽



Easy to clean and maintain

■ WP411 ▽



Korlok's 5G locking mechanism



■ KP104 ▽



■ LLP152 ▽



■ RP96 ▽



■ VGW94T ▽

