



Karndean
Design flooring


Commercial

Hempfield Animal Hospital

Lancaster, PA

"The linear design complements the office really well... It's a sharp look."

William Edkin, VMD



Before



Hempfield Animal Hospital offers a range of wellness, preventive and diagnostic services for household pets in the Lancaster area, including wellness exams, dentistry and surgical procedures. After nearly two decades of the same sheet vinyl flooring, and dealing with discoloration for nearly half of that time, owner and veterinarian William Edkin, VMD was ready to evaluate alternative flooring options.

Discoloration aside, Dr. Edkin found the cleaning and maintenance routine of sheet vinyl, which involved stripping and waxing, to be time-consuming and messy. “We would bring in a cleaning service on weekends, which meant moving all the furniture each time. The wax would splash up on the cove bases and go under doors. It was inconvenient.”

Given the setting, it was essential that the new floor be able to withstand constant “paw and claw traffic” and be easy to clean when accidents inevitably occurred. Dr. Edkin learned about Karndean Designflooring luxury vinyl through several word-of-mouth sources around town, including a fellow veterinarian and another small business owner. Dr. Edkin visited his local retailer, Certified Carpet, along with his wife to explore color and design options.

“We were hoping to find gluedown flooring with a modern look, something that looked commercial,” Dr. Edkin said. Dr. Edkin and his wife decided on Texo from the Opus 20 mil product range. Texo’s stone-look planks have a mix of copper and steely grays that create a cool-tone, industrial visual.

“The linear design complements the office really well and the gray-blue highlights tie in with our existing carpet and the reception desk. It’s a sharp look.”

Texo was installed throughout most of the clinic, including the reception area, hallways, exam rooms and surgical room. The Certified Carpet team worked with Dr. Edkin and staff to complete the installation without closing the office. The clinic stayed open for the entirety of the retrofit and installers were able to lay the new flooring over top of the existing sheet vinyl.

According to Dr. Edkin, everyone loves the new flooring, including staff, patients, and resident “office dog” Sable. As an added bonus for Dr. Edkin there is no waxing (or weekends) involved in cleaning Karndean Designflooring - just a damp mop and pH neutral cleaner, such as Karndean Clean.

[View examples of previous case studies here](#)



Client:
Hempfield Animal Hospital

Location:
Lancaster, PA



Retailer/Installer:
Certified Carpet



Healthcare



Products:
Texo SP718



Area:
1800 sq.ft.



Products Specified

Product: Texo **SP718**

Opus

Thickness: 2.5 mm

Wear Layer: 20 mil (0.5 mm)

Bevel: Micro

Warranty: 15 Years

Acoustic Impact Noise Reduction/Result:


ASTM E2179-09 - Δ IIC = 4 dB

ASTM E492-09 - IIC = 44 dB (6" concrete slab w/drop ceiling)

IIC = 71 dB (6" slab w/drop ceiling + QuietChoice)

Slip Resistance/Result:

ASTM D2047 - Pass (Dry 0.89)




[View the full technical data sheet](#)



Texo **SP718**



Get the look

Create the same look as Hempfield Animal Hospital for your space.
We have a variety of products to match within our ranges, featuring multiple installation methods.





Melbourne
LM05

Thickness: 3.0 mm
Wear Layer: 30 mil (0.7 mm)
Bevel: Standard
Size: 18" x 24"
(457 mm x 610 mm)
Installation Method: Gluedown
Warranty: 20 Years
Slip Resistance/Result:
ASTM D2047 - Pass (Dry 0.92)





Eisen
CER13

Thickness: 3.0 mm
Wear Layer: 30 mil (0.7 mm)
Bevel: Standard
Size: 12" x 18"
(305 mm x 457 mm)
Installation Method: Gluedown
Warranty: 20 Years
Slip Resistance/Result:
ASTM D2047 - Pass (Dry 0.92)




Hartford
LLPI12


Thickness: 4.5 mm
Wear Layer: 20 mil (0.5 mm)
Bevel: No
Size: 41.3" x 9.85"
(1050 mm x 250 mm)
Installation Method: Loose lay
Warranty: 15 Years
Slip Resistance/Result:
ASTM D2047 - Pass (Dry 0.92)



Charred Weathered Pine
RCP6539

Thickness: 6.5 mm
Wear Layer: 20 mil (0.5 mm)
Bevel: Micro
Size: 48" x 7"
(1220 mm x 179 mm)
Installation Method: Rigid core
Warranty: 15 Years
Slip Resistance/Result:
ASTM D2047 - Pass (Dry >0.8)





EW01 ▾



LL1206 ▾



CER19 ▾



LL1217 ▾




Why not consider a feature design, you can even design your own.



VGW931 ▾



WP316 ▾



WP511 ▾



LLP302 ▾

